

邁高遠科技有限公司  
Microtech Technology Co.,Ltd.  
香港新界粉嶺安居街18號安興工業中心5/F樓 505 室  
Unit 505,5/F,On Hing Industrial Center,  
18 On Kui Street, Fanling,N.T.,HongKong  
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449  
電郵 E-mail: info@microtech-lcd.com  
Website: www.microtech-lcd.com

## LCD Modules Selection Guide

深圳市邁高遠科技有限公司  
ShenZhen Microtech Technology Co., Ltd.  
深圳市龍華新區民治街道民治大道973號萬眾  
潤丰創業園A棟二樓A區2-4號  
A03, 2F, Building A, Wanzhong Runfeng Pioneer  
Park, Minzhi, Longhua, Shenzhen, Guangdong,  
China  
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)  
Fax:(86-755) 8372 3887

### Dot Matrix LCM Product List

Dots	Part No.	Controller	Outline Dimension	View Area	Active Area	Interface	Remark
32X32	MTC2054FA	ST7567-COG	19.5X20.0	17.5X14.0	15.97X12.77	S	0.6pitch,28pin
64x48	MTC1002FAN	SPLC502B-COG	15.98*17.2	13.18*9.52	11.18*8.38	P,6800/8080	0.8pitch,28PIN,NEGATIVE
	MTC1002FB	SPLC502B-COG	15.98X17.02	13.18X9.52	11.18*8.38	P	0.6pitch,28pin
	MTC2052FA	SPLC502B-COG	24.2X21.0	22.2X15.8	19.18X13.18	P	0.5pitch,20pin
64x64	MTC4019FA	ST7565R-COG	41.0X48	38.0X38.0	30.06X30.06	S	0.5pitch,20pin
64X128	MTC2055FA	UC1604-COG	20.8X39.7	18.8X31.7	12.52X27.244	P/S,6800/8080	0.5pitch,24pin
72X40	MTC2056FA	ST7567-COG	24.0X18.8	20.0X10.8	15.82X8.78	S	0.5pitch,12pin
80x8	MTC6008FA	ST7032I-COG	66.20*19.6	62.20*9.1	59.62*6.56	S	2.54pitch,6PIN
80x64	MTC2049FA	ST7579-COG	20.6*23.4	18.6*17.4	15.98*14.76	P	0.7pitch,19PIN
	MTC2049FAN	ST7579-COG	20.6*23.4	18.6*17.4	15.98*14.76	P	0.7pitch,19PIN,Negative
	MTC2049FC	ST7579-COG	20.6*23.4	18.6*17.4	15.98*14.76	P	0.7pitch,19PIN
96x16	MTC3052FA	ST7549-COG	29.2*10.8	21.2*7.8	19.18*3.82	I <sup>2</sup> C	0.5pitch,6PIN
	MTC3052FB	ST7549-COG	29.2*10.8	21.2*7.8	19.18*3.82	I <sup>2</sup> C	0.5pitch,6PIN
	MTC3052FC	ST7549-COG	29.2*10.8	21.2*7.8	19.18*3.82	I <sup>2</sup> C	0.55pitch,8PIN
96x24	MTC2057FA	ST7567-COG	23.5x11.5	21.5x6.0	21.5x6.0	S	0.5pitch,10PIN
	MTC2057FB	ST7567-COG	23.5x11.5	21.5x6.0	21.5x6.0	S	0.5pitch,10PIN
96x26	MTC3004FB	ST7549-COG	32.9*17.0	30.0*10.0	23.97*6.47	S	0.5pitch, 8PIN, ICON
	MTC3004FC	ST7549-COG	32.9*17.0	30.0*10.0	23.97*6.47	S	0.8pitch, 8PIN, ICON
	MTC3004FD	ST7549-COG	32.9*17.0	30.0*10.0	23.97*6.47	S	0.8pitch, 8PIN, ICON
	MTC3004FE	ST7549-COG	32.9*17.0	30.0*10.0	23.97*6.47	S	0.8pitch, 8PIN, ICON
101x64	MTC3078FA	ST7567-COG	36.0X34.6	33.0X24.6	28.25X19.36	S	0.5pitch, 26PIN
101x80	MTC3044FA	UC1612-COG	34.9*34.7	31.5*24.6	27.245*21.575	S	0.8pitch,18PIN
	MTC3044FAN	UC1612-COG	34.9*34.7	31.5*24.6	27.245*21.575	S	0.8pitch,18PIN
128x32	MTC2042FA	TL8201-COG	27.8X15.5	25.8X12.0	24.807X8.999	S	0.8pitch,18pin
	MTC2051FA	TL8201-COG	26.0X14.0	23.0X8.5	21.996X7.50	S	0.8pitch,18pin
	MTC3030FA	ST7565R	35.0X16.4	32.0X11.9	29.66X8.45	S	0.8pitch,18pin
	MTC3059FA	TL8201	35.0*16.4	32.0*10.0	29.66*8.45	S	0.8pitch,18pin
	MTC3059FB	ST7567	35.0*16.4	32.0*10.0	29.66*8.45	S	0.8pitch,20pin
	MTC3059FC	ST7567	36.6X17.6	32.0*10.0	29.67*8.45	S	0.8pitch,20pin
	MTC3059FE	ST7567	36.6X17.6	32.0*10.0	29.67*8.45	S	0.8pitch,20pin
	MTC3075FA	TL8201-COG	33X14	30X8.5	28.652X7.5	S	0.8pitch,18pin
	MTC3076FA	ST7567-COG	33X14	30X8.5	28.652X7.5	S	0.8pitch,18pin
	MTC4589FD	ST7565S-COG	35*18	32*10	29.031X8.295	P/S	0.5pitch,28PIN
	MTC4589FE	ST7565S-COG	35*18	32*10	29.031X8.295	P, 6800/8080	0.8pitch,28PIN
	MTC4589FF	ST7565S-COG	35*18	32*10	29.031X8.295	P, 6800/8080	0.6pitch,28PIN
	MTC4589FH	ST7565S-COG	35*18	32*10	29.031X8.295	P/S	0.7pitch,28PIN
	MTC4589FI	ST7565S-COG	35*18	32*10	29.031X8.295	P, 6800/8080	0.5pitch,28PIN
	MTC4589FI	ST7565R-COG	35*18	32*10	29.031X8.295	P/S	0.5pitch,28PIN
MTC4589FK	ST7565S-COG	35*18	32*10	29.031X8.295	P, 6800/8080	0.5pitch,28PIN	
MTC4589FM	ST7565S-COG	35*18	32*10	29.031X8.295	P, 6800/8080	0.5pitch,28PIN	
MTC4018FA	ST7565R-COG	42.3*25	34*10	28.0X8.0	P/S	0.5pitch,30PIN	
MTC5004FA	ST7565P-COG	53X25.5	50.5X17	47.33X13.73	P	0.5pitch,18pin	

邁高遠科技有限公司  
 Microtech Technology Co.,Ltd.  
 香港新界粉嶺安居街18號安興工業中心5/F樓 505 室  
 Unit 505,5/F,On Hing Industrial Center,  
 18 On Kui Street, Fanling,N.T.,HongKong  
 電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449  
 電郵 E-mail: info@microtech-lcd.com  
 Website: www.microtech-lcd.com

**LCD Modules  
 Selection Guide**

深圳市邁高遠科技有限公司  
 ShenZhen Microtech Technology Co., Ltd.  
 深圳市龍華新區民治街道民治大道973號萬眾  
 潤丰創業園A棟二樓A區2-4號  
 A03, 2F, Building A, Wanzhong Runfeng Pioneer  
 Park, Minzhi, Longhua, Shenzhen, Guangdong,  
 China  
 Tel:(86-755) 8372 5193 8372 5037 (Ext.808)  
 Fax:(86-755) 8372 3887

**Dot Matrix LCM Product List**

Dots	Part No.	Controller	Outline Dimension	View Area	Active Area	Interface	Remark
128x32	MTC5007FB	ST7567-COG	51X14.5	49X12.5	46.06X11.8	S	0.8pitch,12pin
	MTC5007FC	ST7567-COG	51X14.5	49X12.5	46.06X11.8	S	0.8pitch,12pin
	MTC5007FD	ST7567-COG	51X19.0	49*12.5	46.06X11.8	S	0.8pitch,12pin
	MTC5007FF	AIP31567-COG	51X19.0	49*12.5	46.06X11.8	S	0.8pitch,12pin
	MTC5007FG	AIP31567-COG	51X19.0	49*12.5	46.06X11.8	S	0.8pitch,12pin,DFSTN
	MTC8001FA	ST7565P-COG	81.2X33.43	77.2X23.43	74.19X20.43	P,6800/8080	0.8pitch,28pin
128x64	MTC2014FB	ST7565R-COG	28.55x20.1	26.15*13.9	23.02x8.62	P	0.7pitch,28PIN,JOLED
	MTC2014FC	ST7565R-COG	28.55x20.1	26.15*13.9	23.02x8.62	S	0.8pitch,18PIN,JOLED
	MTC2014FD	SPLC502B-COG	28.55X20.1	26.15X13.90	23.02X11.5	P	0.7pitch,28pin ,POSITIVE
	MTC2044FA	ST7565R-COG	25X25	23X19	20.46X14.06	P,6800/8080	0.5pitch,28pin
	MTC2044FB	ST7565R-COG	25X25	23X19	20.46X14.06	P,6800/8080	0.8pitch,28pin
	MTC2047FA	ST7565R-COG	32.80X32.17	/	23.66x15.34	P	0.5pitch,28pin
	MTC2050FA	ST7565R-COG	25.2X20.0	23.5X14.00	20.46X11.48	p	0.7pitch,28PIN,JO
	MTC2053FA	ST7567-COG	29X18	26.6X11.1	23.66X9.56	S	0.7pitch,21pin
	MTC2055FA	UC1604CA-COG	39.7X20.8	31.7X18.8	27.24X12.524	P,6800/8080	0.5pitch,24PIN
	MTC2058FA-V1	ST7567S-COG	29X27X3.65	27X19.4	25.98X17.98	S	0.5pitch,12PIN
	MTC3020B	ST7565S-COG	32.0x19.14	28.0x13.34	23.916x10.86	P,6800/8080	0.7pitch,30PIN
	MTC3020FB	ST7565S-COG	32.0x19.14	28.0x13.34	23.916x10.86	P,6800/8080	0.5pitch,30PIN
	MTC3022FA	ST7565P-COG	33.9x32.5	30.9x23.0	27.37x19.18	P/S,6800/8080	0.8pitch,28PIN
	MTC3022FB	ST7565P-COG	33.9x32.5	30.9x23.0	27.37x19.18	P/S,6800/8080	0.8pitch,28PIN
	MTC3022FC	ST7567-COG	33.9x32.5	30.9x23.0	27.37x19.18	S	0.8pitch,21PIN
	MTC3022FCV5.0	AIP31567-COG	37.0x32.5	30.9x23.0	27.37x19.18	S	0.8pitch,21PIN
	MTC3022FD	ST7565P-COG	33.9x32.5	30.9x23.0	27.37x19.18	S	0.8pitch,21PIN
	MTC3022FI	ST7567-COG	33.9x32.5	30.9x23.0	27.37x19.18	S	0.8pitch,21PIN
	MTC3022FI-V1	AIP31567-COG	33.9x32.5	30.9x23.0	27.37x19.18	S	0.5pitch,12PIN
	MTC3022FK	ST7565P-COG	33.9x32.5	30.9x23.0	27.37x19.18	S	0.5pitch,21PIN
	MTC3022FL	ST7565P-COG	33.9x32.5	30.9x23.0	27.37x19.18	S	0.8pitch,21PIN
	MTC3022FG	ST7565P-COG	33.9x32.5	30.9x23.0	27.37x19.18	P/S,6800/8080	0.8pitch,21PIN
	MTC3022FM	ST7565R-COG	33.9x32.5	30.9x23.0	27.37x19.18	S	0.8pitch,21PIN
	MTC3029FA	ST7565R-COG	34.0x27.0	32x20	28.903x17.383	P,6800/8080	0.8pitch,28PIN
	MTC3037FB	ST7565R-COG	31.0X27.0	28.0X18.0	25.96X15.02	S	0.8pitch,21PIN
	MTC3037FC	ST7565R-COG	31.0X27.0	28.0X18.0	25.96X15.02	S	0.8pitch,21PIN
	MTC3042FA(V2.0)	ST7567R	36.60*28.0	34.6*22.5	30.95*18.47	S	0.8pitch,20pin
	MTC3042FB	ST7567R	36.60*28.0	34.6*22.5	30.95*18.47	S	0.5pitch,18pin
	MTC3042FB-V1	Aip31565CR	36.60*28.0	34.6*22.5	30.95*18.47	S	0.5pitch,18pin
	MTC3042FC	ST7567R	36.60*28.0	34.6*22.5	30.95*18.47	S	0.8pitch,20pin
	MTC3042FD	ST7567R	36.60*28.0	34.6*22.5	30.95*18.47	S	0.8pitch,21pin
	MTC3050FA	ST7565R-COG	32.0x19.14	28.0x14.1	23.916x10.86	P,6800/8080	0.7pitch,30PIN
	MTC3051FA	ST7565R-COG	33X23	30.4X15.4	26.86x12.0	P,6800/8080	0.8pitch,28pin
	MTC3058	TLS8201	36.6*28	34.6*22.5	30.95*18.47	S	0.8pitch,21pin
	MTC3062FA	ST7565R/TLS8201	33.0x21.0	29.0x13.5	26.86x12.0	S	0.8pitch,18PIN
	MTC3062FB	ST7565R/TLS8201	33.0x21.0	29.0x13.5	26.86x12.0	S	0.8pitch,28PIN
MTC3067FA	ST7565R-COG	46.0X36.0	41.8X26.1	39.281X22.831	S	0.8pitch,21pin	

邁高達科技有限公司  
Microtech Technology Co., Ltd.  
香港新界粉嶺安厝街18號安興工業中心5/F樓 505 室  
Unit 505,5/F,On Hing Industrial Center,  
18 On Kui Street, Fanling,N.T.,HongKong  
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449  
電郵 E-mail: info@microtech-lcd.com  
Website: www.microtech-lcd.com

## LCD Modules Selection Guide

深圳市邁高達科技有限公司  
ShenZhen Microtech Technology Co., Ltd.  
深圳市龍華新區民治街道民治大道973號萬眾  
潤丰創業園A棟二樓A區2-4號  
A03, 2F, Building A, Wanzhong Runfeng Pioneer  
Park, Minzhi, Longhua, Shenzhen, Guangdong,  
China  
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)  
Fax:(86-755) 8372 3887

### Dot Matrix LCM Product List

Dots	Part No.	Controller	Outline Dimension	View Area	Active Area	Interface	Remark	
128x64	MTC3067FB	ST7565R-COG	46.0X36.0	41.8X26.1	39.281X22.831	S	0.8pitch,21pin	
	MTC3067FC	ST7565R-COG	46.0X36.0	41.8X26.1	39.281X22.831	S	0.5pitch,18pin	
	MTC3073FA	ST7565R	31.0X24.00	28.00X18.00	25.964X15	p	0.5pitch,28pin	
	MTC3073FB	ST7565R-COG	31.0X24.00	28.00X18.00	25.964X15	p	0.5pitch,28pin	
	MTC3073FC	ST7565R-COG	31.0X24.00	28.00X18.00	25.964X15	p	0.5pitch,28pin	
	MTC3074FA	ST7565R	38.0X32.00	34.00X22.00	30.7X17.265	p	0.5pitch,30pin	
	MTC3081FA	ST7567	38.0X32.36	30.0x22.22	27.36x19.17	P/S,6800/8080	0.8pitch,29pin	
	MTC3084FA	ST7565P-COG	34.0*24.22	29.58*16.22	25.58*14.06	P/S,6800/8080	0.5pitch,18PIN	
	MTC4009FA	ST7565P-COG	43.8X23.7	39.5X20	34.535X17.255	P,6800/8080	0.5pitch,28pin	
	MTC4011FA	ST7565R	42.30X33.00	40.00X22.00	37.10X19.82	S	0.5pitch,18pin	
	MTC4014FA	ST7565R	46.00X33.00	41.80X26.00	39.276X23.66	S	0.8pitch,21pin	
	MTC4015FA	ST7565R-COG	43.8X30.7	39.5X20	34.54X17.26	P,6800/8080	0.5pitch,28pin	
	MTC4016FA	ST7565R	43X30	40X22	39.02X20.98	P,6800/8080	0.8pitch,21pin	
	MTC4016FB	UC1701X	43X30	40X22	39.02X20.98	P,6800/8080	0.8pitch,21pin	
	MTC4016FD	UC1701X	45X33X3.4	40X22	39.02X20.98	P,6800/8080	0.8pitch,21pin	
	MTC5535FE	ST7565R	43.8X28.7	39.5X23.7	34.535X17.255	P,6800/8080	0.8pitch,28pin	
	MTC5535FH	ST7565R	43.8X28.7	39.5X23.7	34.535X17.255	P,6800/8080	0.8pitch,28pin	
	MTC5535FI	ST7565R	43.8X28.7	39.5X23.7	34.535X17.255	P,6800/8080	0.8pitch,28pin	
	MTC5587FA	TLS8201-COG	33X23	29.0x13.5	26.86x12.0	S	0.5pitch,21pin	
	MTC5587FB	TLS8201-COG	33X23	29.0x13.5	26.86x12.0	S	0.5pitch,21pin	
	MTC5587FC	TLS8201-COG	33X23	29.0x13.5	26.86x12.0	S	0.5pitch,21pin	
	MTC5587FD	TLS8201-COG	33X23	29.0x13.5	26.86x12.0	S	0.5pitch,21pin	
	MTC5587FE	TLS8201-COG	33X23	29.0x13.5	26.86x12.0	S	0.5pitch,21pin	
	MTC5917FB	ST7565P-COG	57*39.4	52.6*27.5	48.615*24.295	P/S,6800/8080	0.8pitch,30pin	
	MTC5917FC	ST7565P-COG	57*39.4	52.6*27.5	48.615*24.295	P/S,6800/8080	0.8pitch,30pin	
	MTC5917FD	ST7565P-COG	57*39.4	52.6*27.5	48.615*24.295	P/S,6800/8080	0.8pitch,30pin	
	MTC5918FA	ST7567	57*36.8	52.6*27.5	48.615*24.295	S	0.5pitch,20pin	
	MTC6001T	EM65565A-COG	69.1X50	65.5X38	60.775X32.935	P/S,6800/8080	0.8pitch,36pin	
	MTC6002FA	ST7565P-COG	63X35.5	60X26	49.5X21.99	P/S,6800/8080	0.8pitch,28pin	
	MTC6006FA	ST7565R	64.5X27.5	40.0X19.586	35.948X17.004	P	0.5pitch,28pin	
	MTC6010FA	ST7565R	71.4X52.3	66.5X38.0	60.78X32.	P	0.5pitch,28pin	
	MTC7002FA	ST7565P-COG	70.0x43	59.874x29.922	59.874*29.922	S	0.5pitch,20PIN	
	MTC7002FAN	ST7565P-COG	70.0x43	59.874x29.922	59.874*29.922	S	0.5pitch,20PIN	
	MTC7002FC	ST7565P-COG	70.0x43	59.874x29.922	59.874*29.922	S	0.5pitch,20PIN	
	MTC7002FD	ST7565P-COG	70.0x43	59.874x29.922	59.874*29.922	S	0.5pitch,20PIN	
	MTC7003FA	NT7532H-COG	71.8X50.55	65X41	62.68X34.52	P/S,6800/8080	0.5pitch,28PIN	
	MTC7008FA	NT7538H-COG	76.0X45.5	73X38	66.52X33.24	P/S,6800/8080	0.8pitch,36PIN	
	MTC3083FB	SH1106G	34.5*23*1.4	31.42*16.7	29.42*14.7	P/S,6800/8080	OLED,0.5pitch,30PIN,White	
	128x56	MTC2048FB	SPLC502B-COG	28.55*18.1	26.15*12.18	23.02x10.06	P,6800/8080	0.6pitch,28PIN
	128x96	MTC4012FA	ST7541-COG	42X33.3	36X28	31.98X21.58	S	0.5pitch,20pin
MTC4012FB		ST7541-COG	42X33.3	36X28	31.98X21.58	P	0.5pitch,20pin	
MTC4012FC		ST7541-COG	42X33.3	36X28	31.98X21.58	P	0.5pitch,20pin	

邁高達科技有限公司  
Microtech Technology Co.,Ltd.  
香港新界粉嶺安厝街18號安興工業中心5/F樓 505 室  
Unit 505,5/F,On Hing Industrial Center,  
18 On Kui Street, Fanling,N.T.,HongKong  
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449  
電郵 E-mail: info@microtech-lcd.com  
Website: www.microtech-lcd.com

## LCD Modules Selection Guide

深圳市邁高達科技有限公司  
ShenZhen Microtech Technology Co., Ltd.  
深圳市龙华新区民治街道民治大道973号万众  
润丰创业园A栋二楼A区2-4号  
A03, 2F, Building A, Wanzhong Runfeng Pioneer  
Park, Minzhi, Longhua, Shenzhen, Guangdong,  
China  
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)  
Fax:(86-755) 8372 3887

### Dot Matrix LCM Product List

Dots	Part No.	Controller	Outline Dimension	View Area	Active Area	Interface	Remark
<b>128x96</b>	MTC7007FA	ST7528-COG	70.0X57.0	66.14X48.6	60.14X44.14	P	0.8pitch,32pin
<b>132x32</b>	MTC3046FA	ST7565R-COG	34.5x15	31.9x9.5	29.02x7.02	S	0.8pitch,18PIN
	MTC3046FB	ST7565R-COG	34.5x15	31.9x9.5	29.02x7.02	P,6800/8080	0.7pitch,28PIN
	MTC3048FA	ST7538-COG	34.5x15.0	31.9x9.5	29.02x7.02	P/S,6800/8080	0.6pitch,49PIN
	MTC3048FB	ST7538-COG	34.5x15.0	31.9x9.5	29.02x7.02	S	0.5pitch,28PIN
	MTC3054FA	TLS8201-COG	34.5X15	31.9X9.5	29.02X7.02	P/S,6800/8080	0.6pitch,49pin
	MTC3055FA	NT7538-COG	35X16.4	32.4X10	30.594X8.45	P/S,6800/8080	0.6pitch,49PIN
	MTC3063FA	ST7565R-G	34.5x15.0	31.9x9.5	29.02x7.02	S	0.8pitch,18pin
	MTC3068FA	ST7566R-G	34.5x18	32x10	29.67x8.45	S	0.5pitch,20pin
	MTC4010FA	TLS8201	48.0x13.62	45X7.12	42.21X5.57	P	0.8pitch,18pin
<b>132x33</b>	MTC5005FA	NT7538-COG	51.1X23.6	44X14	42.22X10.54	P/S,6800/8080	0.5pitch,30PIN
<b>132x64</b>	MTC2034FA	ST7565R-COG	28X29.1	25.0X22.09	22.95X19.5	P,6800/8080	0.8pitch,28PIN
	MTC2040FA	ST7565R-COG	28X22.06	25X18.06	22.948X12.460	P,6800/8080	0.8pitch,28PIN
	MTC7005FA	ST7565-COG	74.99x54.41	70.99x41.41	67.95x38.37	S	0.5pitch,20PIN
	MTC8002FA	ST7565-COG	83.56x44.12	79.56x40.12	76.52x37.08	S	0.5pitch,20PIN
	MTC8003FA	ST7565P-COG	85.27X41.45	80.90X32.75	76.00X30.00	P	0.6pitch,28PIN
<b>128x128</b>	MTC3043FC	ST7571	33.0X38.3	30X30.3	26.855X26.855	P/8080	0.8pitch,36PIN
	MTC3043FD	ST7571	34.8X40.1	30X30.3	26.855X26.855	P/S	0.5pitch,30PIN
	MTC3079FA	ST7571	36.6X44.5X3.0	30.64X33.2	28.64x31.2	S	0.8pitch,15PIN
	MTC4002B	ST7541-COG	47.0x44.5	41.8x33.8	38.375x31.335	P/S	0.8pitch,38PIN
	MTC5006FA	ST7571	57X63	50X50	46.06X46.06	P/S	0.5pitch,28pin
	MTC5006FB	ST7571	57X63	50X50	46.06X46.06	P/S	0.5pitch,28pin
<b>160X25</b>	MTC10005FA	IST3020	117.2x30.8	112.2x19.8	101.85x15.9	p	0.8pitch,30pin
<b>160X128</b>	MTC3085FA	SEPS525	39.9X34.0	34.57X26.86	33.57*26.86	P/S	0.8pitch,35pin,OLED
	MTC5009FA	UC1698U	56X48	49.6X37.8	40.79X32.63	S	0.5pitch,30pin
<b>172X104</b>	MTC5010FA	ST75256	52.6X41	49.6X32.6	45.00X28.85	S	0.5pitch,18pin
<b>192X64</b>	MTC10001FB	IST3020	104.00X45.00	99.00X34.00	92.12X30.68	P	0.8pitch,30pin
<b>192X64</b>	MTC10006FA	UC1689U	108.60X65.00	102.90X36.2	97.486X32.46	S	0.5pitch,30pin
<b>208x65</b>	MTC6005FA	IST3020	67X30	60.425X20.385	58.225X18.185	P	0.5pitch,15pin
	MTC6007FA	IST3017-COG	67X30	59.625X19.585	58.225X18.185	P	0.5pitch,15pin
<b>320X80</b>	MTC15001FA	UC1689U	158.5x47.5	153x37.5	145.57x32.45	p	0.5pitch,20pin
<b>256X80</b>	MTC8004FA	ST75256	81.0X38.0	78.0X30.0	71.66X22.38	S	0.5pitch,15pin
<b>320X100</b>	MTC14001FA	UC1689U	158.5x47.5	153x37.5	145.57x32.45	p	0.5pitch,20pin

### TN Display LCM Product List

Dots	Part No.	Controller	Outline Dimension	View Area	Remark
<b>Segment</b>	MTD101R	PIN	19.2x13.0	17.2x8.0	1.5pitch,14PIN
	MTD102T	HEAT SEAL +FFC	14x15	9x9	1.0pitch,13PIN ※
	MTD103T	HEAT SEAL +FFC	14x15	9x9	1.0pitch,13PIN ※
	MTD104T	FPC	14x15	9x9	0.5pitch,32PIN ※
	MTD105T	FPC	14x15	9x9	0.5pitch,32PIN ※
	MTD106T	HEAT SEAL	26.50x19.00	22.50x16.60	0.7pitch,25pin ※
	MTD107T	PIN	14X8	12X4.5	1.0pitch,12pin

邁高達科技有限公司  
Microtech Technology Co.,Ltd.  
香港新界粉嶺安樂街18號安興工業中心5/F樓 505 室  
Unit 505,5/F,On Hing Industrial Center,  
18 On Kui Street, Fanling,N.T.,HongKong  
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449  
電郵 E-mail: info@microtech-lcd.com  
Website: www.microtech-lcd.com

## LCD Modules Selection Guide

深圳市邁高達科技有限公司  
ShenZhen Microtech Technology Co., Ltd.  
深圳市龍華新區民治街道民治大道973號萬眾  
潤豐創業園A棟二樓A區2-4號  
A03, 2F, Building A, Wanzhong Runfeng Pioneer  
Park, Minzhi, Longhua, Shenzhen, Guangdong,  
China  
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)  
Fax:(86-755) 8372 3887

### TN Display LCM Product List

Dots	Part No.	Controller	Outline Dimension	View Area	Remark
Segment	MTD108R	PIN	19X27	17X23	0.6pitch,30pin
	MTD109R	PIN	11.4X8.6	9.06X6.6	0.6pitch,6pin
	MTD110T	PIN	18X14	15X7	2.0pitch,6pin
	MTD111TA	FPC	18.6X28	15.6X22	0.7pitch,31pin
	MTD112TA	FPC	17X11	15.0X7	12.7pitch,12pin
	MTD113TA	PIN	18.0X14.0	16X8	2.0pitch,12pin
	MTD114TA	PIN	13.0X10.5	10X4.5	1.50pitch,12pin
	MTD202	PIN	20.5×16.5	17.5×11.0	1.5pitch,12PIN
	MTD203	PIN	20.5×16.5	17.5×11.0	2.0pitch,7PIN
	MTD204	PIN	26.8×18.3	24.0×14.0	1.0pitchl,13PIN
	MTD205	PIN	24.5×16.5	22.0×11.0	2.0pitch,9PIN
	MTD206	PIN	26.8×18.3	24.0×14.0	1.0pitchl,13PIN
	MTD207	PIN	26.8×19.3	23.8×13.8	1.0pitchl,6PIN
	MTD208	ZEBRA	25.0x20.0	22.6x14.6	1.3pitch,34PIN
	MTD209	PIN	20.0x12.0	18.0x8.0	1.0pitchl,14PIN
	MTD210	HEAT SEAL	24.4x14.0	22.0*10.0	1.4pitch, 14pin
	MTD211	FPC	23.5*7.0	无	0.5pitch,11pin
	MTD212T	PIN	24.5.x16.5	22.0X11.0	1.5pitchl,10PIN
	MTD213T	ZEBRA	25.0X12.10	20.0X10.10	0.8pitch,24PIN
	MTD214T	PIN	22.5x20.5	14.5x18.0	1.5pitch,18pin
	MTD215	PIN	25X17	21.71X12	1.0pitch,20pin
	MTD216	PIN	21x23	18x16	2.54pitch,12pin
	MTD217T	HEAT SEAL	17.16X7.1	15.36X3.7898	0.5pitch,21pin
	MTD218R	ZEBRA	23X10.5	21X6.5	1.5pitch,7pin
	MTD219T	PIN	24X22.5	20.8X15.0	1.5pitch,32pin
	MTD220	ZEBRA	23.50X33.00	20.50X27.70	0.7pitch,31pin
	MTD221T	PIN	23X14	21X10	1.5pitch,14pin
	MTD222T	PIN	20.50X16.50	17.50X11.00	1.5pitch,12pin
	MTD223	ZEBRA	21.0X24.0	19.0X20.0	0.8pitch,24pin
	MTD224T	PIN	23X13	20X8	13PIN
	MTD225	FPC	29.00X25.50	27.00X21.00	0.8pitch,29pin
	MTD226	PIN	23X14	21X10	1.5pitch,14PIN
	MTD227	HEAT SEAL	29X25.5	26.60X20.60	0.8pitch,31pin
	MTD228	HEAT SEAL	21X29	18X24	0.7pitch,28pin
	MTD229T	FPC	24.10X24.10	22.10X19.80	0.7pitch,28pin
	MTD230T	PIN	31.00X28.10	24.70X21.60	1.27pitch,23pin
	MTD231T	PIN	25.00X30.90	23.00X26.40	1.5pitch,10pin
	MTD232T	PIN	25.00X30.90	27.5X17.80	1.8pitch,28pin
	MTD233R	FPC	21X24	20X20	0.8pitch,24pin
	MTD234T	FPC	26.40X25	20X20	0.6pitch,30pin
MTD235T	FPC	25X15	21X13	1.27pitch,10pin	
MTD237R	FPC	23.68X34	21.68X29.97	0.8pitch,25pin	

邁高達科技有限公司  
Microtech Technology Co.,Ltd.  
香港新界粉嶺安居街18號安興工業中心5/F樓 505 室  
Unit 505,5/F,On Hing Industrial Center,  
18 On Kui Street, Fanling,N.T.,HongKong  
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449  
電郵 E-mail: info@microtech-lcd.com  
Website: www.microtech-lcd.com

## LCD Modules Selection Guide

深圳市邁高達科技有限公司  
ShenZhen Microtech Technology Co., Ltd.  
深圳市龙华新区民治街道民治大道973号万众  
润丰创业园A栋二楼A区2-4号  
A03, 2F, Building A, Wanzhong Runfeng Pioneer  
Park, Minzhi, Longhua, Shenzhen, Guangdong,  
China  
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)  
Fax:(86-755) 8372 3887

### TN Display LCM Product List

Dots	Part No.	Controller	Outline Dimension	View Area	Remark
	MTD238T	FPC	25.5X31.5	21.6X26	1.27pitch,10pin
	MTD239T	FPC	29.0X25.2	25.0X20	0.7pitch,35pin
	MTD240T	FPC	25.0X21.5	22.0X16	0.6pitch,33pin
	MTD241T	FPC	27.5X16.00	21.0X12	0.4pitch,30pin
	MTD242T	FPC	25.0X15.00	20.0X12.5	2.0pitch,10pin
	MTD243R	FPC	26.00X26.00	23.0X21.0	0.6pitch,32pin
	MTD244T	ZEBRA	24.4X27.4	21.4X22.4	0.8pitch,22pin
	MTD245T	PIN	22X14.1	20X10.1	2.0pitch,6pin
	MTD246T	PIN	21X11	19X7	1.27pitch,12pin
	MTD247T	PIN	25X15	21X13	1.27pitch,10pin
	MTD248T	PIN	21X10	19X6	1.0pitch,12pin
	MTD249TB	PIN	25X16	23X10	1.27pitch,34pin
	MTD252TA	PIN	20.5X16.5	17.5X11	1.5pitch,9pin
	MTD253FA	PIN	20X10	18X9	1.2pitch,13pin
	MTD255TA	PIN	23X20	21X17.5	2.0pitch,16Pin
	MTD256TA	PIN	23X23	21X17.5	1.27pitch,13Pin
	MTD257TA	PIN	23X23	21X17.5	1.27pitch,16Pin
	MTD257TA	PIN	23X23	21X17.5	1.27pitch,16Pin
	MTD257TA	PIN	23X23	21X17.5	1.27pitch,16Pin
	MTD257TA	PIN	23X23	21X17.5	1.27pitch,16Pin
Segment	MTD267RA-V1	PIN	25.0*37.0	19.0*35.0	2.54pitch 10PIN
	MTD301T	ZEBRA	30.0*27.5	27.0*22.5	2.0pitch,12PIN
	MTD302T	ZEBRA	30.0*27.5	27.0*22.5	2.0pitch,11PIN
	MTD303R	PIN	35.0*14.0	32.0*12.0	2.0pitch,11PIN
	MTD304T	HEAT SEAL	37.4*15.8	34.4*12.3	1.4pitch,23PIN
	MTD305R	PIN	39.0*25.0	36.0*18.0	2.0pitch,32PIN
	MTD306R	PIN	37.0*39.0	35.0*35.0	2.0pitch,12PIN
	MTD308T	PIN	30.0*13.0	29.0*10.0	2.0pitch,11PIN
	MTD307R	PIN	36.0*21.0	33.0*13.0	1.5pitch,13PIN
	MTD309	HT1621-COB	35*27	32*22	2.54pitch,8PIN
	MTD310	ZEBRA	34*28	31*20.4	1.0pitch,38PIN
	MTD311 T	PIN	32.0*34.0	30.0*28.0	2.54pitch,10pin
	MTD312	ZEBRA	31.0*17	27.0*10.0	1.8*16PIN
	MTD313T	PIN	30.0*13.0	28.0X9.0	2.0pitch,11PIN
	MTD314	PIN	36.00X33.00	31.00X31.00	1.5pitch,19pin
	MTD315R	PIN	35.5X22.0	32.5X17.0	1.5pitch,20PIN
	MTD317T	FPC	32.00X20.70	30.00X16.70	0.8pitch,32pin
	MTD318T	FPC	32.00X20.71	30.00X16.71	0.8pitch,32pin
	MTD319T	FPC	38.00X40.00	32.0*32.0	1.5pitch,34pin
	MTD320T	FPC	34.70X13.80	32.7X9.8	1.2pitch,17pin
	MTD321R	PIN	32.00X26.00	30.00X19.0	2.54pitch,10pin

邁高達科技有限公司  
 Microtech Technology Co.,Ltd.  
 香港新界粉嶺安樂街18號安興工業中心5/F樓 505 室  
 Unit 505,5/F, On Hing Industrial Center,  
 18 On Kui Street, Fanling,N.T.,HongKong  
 電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449  
 電郵 E-mail: info@microtech-lcd.com  
 Website: www.microtech-lcd.com

**LCD Modules  
 Selection Guide**

深圳市邁高達科技有限公司  
 ShenZhen Microtech Technology Co., Ltd.  
 深圳市龍華新區民治街道民治大道973號萬眾  
 潤豐創業園A棟二樓A區2-4號  
 A03, 2F, Building A, Wanzhong Runfeng Pioneer  
 Park, Minzhi, Longhua, Shenzhen, Guangdong,  
 China  
 Tel:(86-755) 8372 5193 8372 5037 (Ext.808)  
 Fax:(86-755) 8372 3887

**TN Display LCM Product List**

Dots	Part No.	Controller	Outline Dimension	View Area	Remark		
	MTD322R	PIN	30.00X13.00	28.00X9.0	2.0pitch,11pin		
	MTD323T	PIN	38.00X35.00	35.00X33.0	1.27pitch,27pin		
	MTD324T	PIN	62.00X28.50	59.00X23.0	1.8pitch,27pin		
	MTD325T	PIN	39.43X42	33.40X38.0	1.27pitch,60pin		
	MTD326R	HEAT SEAL	36.00X23.50	33.00X18.0	0.8pitch,32pin		
	MTD327R	HEAT SEAL	34.5X39	29.00X36.0	1.5pitch,24pin		
	MTD328R	FPC	36X23.5	33X18	0.8pitch,32pin		
	MTD329T	HEAT SEAL	33X29.4	30X25	1.6pitch,16pin		
	MTD330TA	PIN	30X25	27X19.5	2.0pitch,14pin		
	MTD331TA	ZEBRA	36.8X43	29.8X40	0.7pitch,33pin		
	MTD332TA	PIN	36.0X16.5	34.0X12.5	2.0pitch,12pin		
	MTD333TA	PIN	30X25	27.0X22.5	2.0pitch,14pin		
	MTD334TA	PIN	33.8X20.3	31.8X14.3	2.0pitch,24pin		
	MTD335TA	PIN	30X13	28X9.0	2.0pitch,11pin		
	MTD337TA	PIN	32.5X10.0	29.42X6.0	1.7pitch,16pin		
	MTD338TA	ZEBRA	36.0X14.5	30.0X12.5	1.5pitch,16pin		
	MTD340TA	PIN	38.5X14.0	34.5X9.0	2.0pitch,30pin		
	MTD345	ZEBRA	34.0*36.0	28.6*28.6	1.7pitch,18pin		VA
	MTD342R	FPC	29.8X29.8	27.8X27.8	0.5pitch,20pin		
	MTD347VA	ZEBRA	34.8X28.0	29.99X21.99	2.0pitch,15pin		
Segment	MTD350T	HT16C22G	37.1X28.0	30.95X18.47	1.0pitch,10PIN		
	MTD353FA	PIN	38.0X35.0	35X30	2.0pitch,16pin		
	MTD357TA	PIN	36.0X28.0	31X21	1.5pitch, 21PIN,VA		
	MTD358TA	FPC	33.5*20.0	30.50*14.50	0.5pitch, 36PIN,VA		
	MTD359TA	ZEBRA	35.0X27.0	30.0*25.0	2.0pitch,13PIN		
	MTD3501FA	ZEBRA	34.8X27.2	32.8X23.20	2.0pitch,13PIN		
	MTD401R	HEAT SEAL	40.5*16.5	37.5*10.0	1.0pitch,24PIN		
	MTD402T	ZEBRA	47.0*19.8	44.0*13.0	0.9pitch,96PIN HTN		
	MTD403R	HEAT SEAL	48.0*30.0	45.0*24.85	1.4pitch,32PIN		
	MTD404T	ZEBRA	45.67x43.04	42.67x36.04	1.0pitchl,40PIN		
	MTD405R	HEAT SEAL	40.0x14.3	37.6x9.1	1.3pitch,27PIN		
	MTD406R	HEAT SEAL	40.0x12.0	37.0x6.0	2.54pitch,10PIN		
	MTD407R	HEAT SEAL	48*30	46*26	1.6pitch,32PIN		
	MTD408T	HEAT SEAL	44.0*18.0	39.5*12.0	1.2pitch,31pin		
	MTD409T	PIN	44.0*25.0	41.0*18.0	1.5pitch,26pin		
	MTD410T	FPC	49.0*39.5	46.0*34.0	0.8pitch,31pin		
	MTD411T	PIN	43.0*25.3	40.0*20.0	1.5pitch,19pin		
	MTD412R	FPC	44.0*22.0	36.5*14.6	0.7pitch,16pin		
	MTD413	PIN	43.5x26.0	40.5x23.5	1.5pitch,28pin		
	MTD415R	PIN	42.5X26.5	39.5X21.5	1.2pitch,30pin		
	MTD416R	HEAT SEAL	49.00X25.40	45.50X18.00	2.2pitch,34pin		

邁高達科技有限公司  
Microtech Technology Co., Ltd.  
香港新界粉嶺安樂街18號安興工業中心5/F樓 505 室  
Unit 505,5/F, On Hing Industrial Center,  
18 On Kui Street, Fanling, N.T., HongKong  
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449  
電郵 E-mail: info@microtech-lcd.com  
Website: www.microtech-lcd.com

## LCD Modules Selection Guide

深圳市邁高達科技有限公司  
ShenZhen Microtech Technology Co., Ltd.  
深圳市龍華新區民治街道民治大道973號萬眾  
潤豐創業園A棟二樓A區2-4號  
A03, 2F, Building A, Wanzhong Runfeng Pioneer  
Park, Minzhi, Longhua, Shenzhen, Guangdong,  
China  
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)  
Fax:(86-755) 8372 3887

### TN Display LCM Product List

Dots	Part No.	Controller	Outline Dimension	View Area	Remark		
	MTD417R	PIN	44X23	40X17	1.5pitch,28pin		
	MTD419R	PIN	43X35.5	40X30	1.5pitch,30pin		
	MTD420	PIN	43.00X25.30	40X20	1.27pitch,30pin		
	MTD421R	PIN	42.3X30.2	36.3X27.2	0.6pitch,29pin		
	MTD422	HEAT SEAL	47.98X27.70	43X18.7	2.54pitch,28pin		
	MTD423R	HEAT SEAL	42.30X32.00	36.3X27.2	0.6pitch,29pin		
	MTD424R	HEAT SEAL	42.30X32.00	36.3X27.2	0.6pitch,29pin		
	MTD425R	HEAT SEAL	47.625X58.24	44.62X53.24	1.2pitch,36pin		
	MTD426T	PIN	40X35	37X28	2pitch,36pin		
	MTD427T	ZEBRA	40X20	36X13	0.8pitch,96pin		
	MTD428R	ZEBRA	47.62X58.24	44.62X53.24	1.2pitch,26pin		
	MTD429TA	PIN	42.3X30.3	36.3X27.20	0.6pitch,39pin		
	MTD430TA	PIN	48.0X30.0	45X23	2.0pitch,34pin		
	MTD434TA	ZEBRA	41.00X25.80	38.5X22.5	1.0pitch,22PIN		
	MTD435TA	ZEBRA	47.0X30.5	44.0X25.0	0.8pitch, 19pin		
	MTD436TA	PIN	46.5X24.0	40.0X18.0	2.54pitch,8pin		
	MTD440A	HT16C23G	49.0X39.0	46.0X30.0	2.54pitch,6pin		
	MTD445TA	ZEBRA	48.6X39.8	45.60X33.60	2.0pitch,22pin		
	MTD446TA	PIN	50.8*33.8	43.0X28.0	1.27pitch,44pin		
	MTD447TA	PIN	49.0*32.0	42.0X29.0	2.0pitch,26pin		
Segment	MTD501R	HEAT SEAL	53.0*20.5	45.0*9.0	1.0pitch,22PIN		
	MTD502R	HEAT SEAL	52.0X18.5	49.0X13.2	1.5pitch,24PIN		
	MTD503R	PIN	53.9*34.9	50.9*26.9	2.0pitch,24PIN		
	MTD504R	ZEBRA	56.0x12.0	53.0x7.0	2.0pitch,9PIN		
	MTD505R	ZEBRA	52.6x45.0	49.6x40.0	1.5pitch,32pin		
	MTD506T	PIN	57X28	53X20	2.5pitch, 16pin		
	MTD507T	PIN	53.00X44.00	50.00X36.00	1.5pitch,42pin		
	MTD508T	PIN	53.00X44.00	50.00X36.00	1.5pitch,42pin		
	MTD509T	PIN	58.00X40.00	54.00X32.00	1.5pitch,21pin		
	MTD510T	PIN	53.00X44.00	50.00X36.00	1.5pitch,42pin		
	MTD511T	PIN	50.00X53.00	48.00X48.00	1.27pitch,33pin		
	MTD512TA	PIN	50X33.2	47X26.2	2.54pitch,28pin		
	MTD513TA	HEATSEAL	52.5X16.3	50.10X12	0.8pitch,36pin		
	MTD514TA	PIN	51.57X22.14	46.57X13.64	2.54pitch 28PIN		
	MTD515TA	PIN	78.0X56.0	73.0X51.0	1.5pitch 95PIN		
	MTD516TA	PIN	50.8X30.48	45.72X17.76	2.54pitch 30PIN		
	MTD531TA-V1	FPC	55.2*33.0	52.5*27.5	0.5pitch,50pin		
	MTD601R	HEAT SEAL	60.5*20.5	61.0*13.0	1.0pitch,26pin		
	MTD602T	PIN	50.0*60.0	47.0*53.0	2.54pitch,34pin		
	MTD603T	HEAT SEAL	66.0*26.5	62.0*19.0	1.0pitch, 13pin		
MTD604T	ZEBRA	67.10*24.50	64.10*19.00	1.6pitch,36pin			
MTD605T	HEAT SEAL	63.0x25.0	60.6x20.6	1.6pitch,26pin			



邁高達科技有限公司  
 Microtech Technology Co.,Ltd.  
 香港新界粉嶺安厝街18號安興工商中心5/F樓 505 室  
 Unit 505,5/F,On Hing Industrial Center,  
 18 On Kui Street, Fanling,N.T.,HongKong  
 電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449  
 電郵 E-mail: info@microtech-lcd.com  
 Website: www.microtech-lcd.com

**LCD Modules  
 Selection Guide**

深圳市邁高達科技有限公司  
 ShenZhen Microtech Technology Co., Ltd.  
 深圳市龍華新區民治街道民治大道973號萬眾  
 潤豐創業園A棟二樓A區2-4號  
 A03, 2F, Building A, Wanzhong Runfeng Pioneer  
 Park, Minzhi, Longhua, Shenzhen, Guangdong,  
 China  
 Tel:(86-755) 8372 5193 8372 5037 (Ext.808)  
 Fax:(86-755) 8372 3887


**TN Display LCM Product List**

Dots	Part No.	Controller	Outline Dimension	View Area	Remark
	MTD603T	HEAT SEAL	66.0*26.5	62.0*19.0	1.0pitch,13pin
	MTD604T	ZEBRA	67.10*24.50	64.10*19.00	1.6pitch,36pin
	MTD605T	HEAT SEAL	63.0x25.0	60.6x20.6	1.6pitch,26pin
	MTD606T	PIN	65.5X36	63X29	2.54pitch 36PIN
	MTD608T	PIN	68X43	65X35	2.54pitch 32PIN
	MTD609T	PIN	41.40X39.20	38.40X39.02	1.5pitch 46PIN
	MTD610T	PIN	41.40X39.20	38.40X39.02	1.5pitch 40PIN
	MTD611TA	PIN	63X41.5	60X36	2.54pitch 22PIN
	MTD612T	HEATSEAL	63.3X41.4	60.3X35.9	1.2pitch 30PIN
	MTD614T	PIN	69.5X38.6	67X30.6	2.54pitch 25PIN
	MTD616R	PIN	63.1X32.8	60.1X25	2.54pitch 48PIN
	MTD618T	PIN	60.0X45.0	57.0X37.0	2.54pitch 17PIN
	MTD619TA	PIN	68X32.5	60.0X30.0	2.54pitch 16PIN
	MTD620RA-V1	ZEBRA	62.8X42.82	58.8X35.28	2.54pitch 32PIN
	MTD621RA-V1	ZEBRA	62.8X42.82	58.8X35.28	2.54pitch 32PIN
	MTD622FA-V1	PIN	66.0*40.0*5.5	57.0*32.0	2.54pitch 36PIN
	MTD701T	FPC	79.20X28.60	71.20X20.00	0.8pitch,72pin
	MTD702T	PIN	70X55	67X47	1.27pitch,40pin
Segment	MTD703T	PIN	73X33	70X28	2pitch,36pin
	MTD704T	PIN	75X55	72X50.2	2.54pitch,28pin
	MTD705T	PIN	83X32.1	76X22	1.8pitch,7pin
	MTD706T	PIN	68X47.3	64X38.3	2.54pitch,28pin
	MTD712TB01	PIN	80X77	70.0X70.0	2.54pitch,33pin
	MTD712TC01	PIN	80X77	70.0X70.0	2.54/2.0pitch,41pin,VA
	MTD712TD01	PIN	80X77	70.0X70.0	2.54/2.0pitch,41pin
	MTD801TA	PIN	85X40	80X30	2.54pitch,14pin
	MTD802TA	PIN	80X40	72X30	2.54pitch,16pin
	MTD804TA-V1	PIN	84X45	76*37	2.54pitch 15PIN
	MTD805TA-V1	FPC	85.6*49.5	816.*39.5	1.0pitch,8PIN, VA,IC:Aip31033E
	MTD901T	PIN	78.00X20.00	76X16	1.5pitch 14PIN
	MTD902TA	PIN	95.8X48.4	92X42	1.6pitch 29pin
	MTD9501TA	PIN	95.76X48.05	92.76X43.15	2.54pitch,4pin Shutter LCD
	MTD9501TB	PIN	95.76X48.06	92.76X43.16	2.54pitch,5pin Shutter LCD
		MTD1001	PIN	116X65	112X56
	MTD1002	PIN	103X49	101X39	2.54pitch,44pin
	MTD1301	PIN	135X69	130X64	1.27pitch,95pin
	MTD1501	PIN	153X123	150X115	3.0pitch,62pin

**Alphanumeric LCD module Product List**

Xline	LCM Type	Part No.	Module Dim.	View Area	LCD Type	Backlight	Remark
8x01	COB	MTB0801A	40.0x35.5	30.0x14.0	STN(Y/G)	Y/G(B)	
	COB	MTB0801A2	40.0x35.5	30.0x14.0	FSTN	White	
	COB	MTB0801B	55.0x33.0	44.0x13.0	STN(Y/G)	No	

邁高遠科技有限公司  
 Microtech Technology Co.,Ltd.  
 香港新界粉嶺安樂街18號安興工業中心5/F樓 505 室  
 Unit 505,5/F, On Hing Industrial Center,  
 18 On Kui Street, Fanling,N.T.,HongKong  
 電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449  
 電郵 E-mail: info@microtech-lcd.com  
 Website: www.microtech-lcd.com



深圳市邁高遠科技有限公司  
 ShenZhen Microtech Technology Co., Ltd.  
 深圳市龍華新區民治街道民治大道973號萬眾  
 潤丰創業園A棟二樓A區2-4號  
 A03, 2F, Building A, Wanzhong Runfeng Pioneer  
 Park, Minzhi, Longhua, Shenzhen, Guangdong,  
 China  
 Tel:(86-755) 8372 5193 8372 5037 (Ext.808)  
 Fax:(86-755) 8372 3887

Alphanumeric LCD module Product List							
Xline	LCM Type	Part No.	Module Dim.	View Area	LCD Type	Backlight	Remark
8x02	COB	MTB0802A	58.0x32.0	35.5x14.5	STN(Y/G)	Y/G(B)	
	COB	MTB0802A2	58.0*32.0	38.0*16.0	FSTN(Gray)	White	
	COB	MTB0802B	40.0x29.0	25.1x9.0	STN(Y/G)	Y/G(B)	
	COB	MTB0802C1	58.0x32.0	35.5x14.5	STN(Y/G)	Y/G(B)	
9x01	COB	MTB0901A	100.0x25.0	69.4x13.1	STN(Y/G)	Y/G(B)	
16x01	COB	MTB1601A	80.0x36.0	64.5x13.8	STN(Y/G)	Y/G(B)	
	COB	MTB1601A-V3	80.0x36.0	64.5x24.0	STN Blue	W(B)	
	COB	MTB1601A1	82X37.5	72.3X25.5	STN(Y/G)	Y/G(B)	
	COB	MTB1601A2	80.0x36.0	64.5X13.8	STN(Y/G)	Y/G(B)	
	COB	MTB1601B	151.0x40.0	120.0x23.0	STN(Y/G)	Y/G(B)	
	COB	MTB1601C	85.0x30.0	63.5x15.8	STN(Y/G)	Y/G(B)	
	COB	MTB1601D	122.0x33.0	99.0x13.0	STN(Y/G)	Y/G(B)	
16x02	COB	MTB1602A	80.0x36.0	64.0x13.8	STN(Y/G/B)	Y/G(B)	
	COB	MTB1602A1	80.0x36.0	66.0X16.0	STN Blue	White(B)	
	COB	MTB1602A2	80.0x36.0	66.0X16.0	STN(Y/G)	Y/G(B)	
	COB	MTB1602A3	90.0X36.0	64.6X16.0	STN(Gray)	Y/G(B)	
	COB	MTB1602A4	80X36.0	64.6X16.0	STN(Gray)	Y/G(B)	
	COB	MTB1602A5	80.0X36.0	55.46X10.76	STN(Gray)	No	
	COB	MTB1602A6	80.0X36.0	55.46X10.76	FSTN(Gray)	White	Transmissive
	COB	MTB1602A6-V2	80.0X36.0	55.46X10.76	FSTN(Gray)	No	Reflective
	COB	MTB1602A7	80.0X36.0	64.5X14.6	STN(Y/G)	Y/G(B)	
	COB	MTB1602A7-V2	80.0X36.0	64.5X14.6	STN(Y/G)	Y/G(B)	A, K exchange
	COB	MTB1602A7-V3	80.0X36.0	64.5X14.6	STN(Y/G)	Yellow	
	COB	MTB1602A8	80.0X36.0	64.5X14.6	STN Blue	White	
	COB	MTB1602A8-V1	80.0X36.0	64.5X14.6	STN Blue	White	Header
	COB	MTB1602A8-V3	80.0X36.0	64.5X14.0	STN Blue	White	Bezel H=8.5mm
	COB	MTB1602A8-V4	80.0X36.0	64.5X14.0	STN Blue	White	With up and down pin
	COB	MTB1602A8-V5	80.0X36.0	64.5X14.0	STN Blue	White	With IIC Board
	COB	MTB1602A8B	80.0X36.0	64.5X14.6	FSTN, Black	White	
	COB	MTB1602A8B-V1	80.0X36.0	64.5X14.6	VA,Negative	White	
	COB	MTB1602A9	80.0X36.0	55.46X10.76	FSTN(Gray)	White	Transflective
	COB	MTB1602A10	80.0X36.0	64.5X13.8	STN(Y/G); Blue	Y/G(W)	6800 / SPI / IIC
	COB	MTB1602B	122.0x44.0	99.0x24.0	STN(Y/G)	Y/G(B)	
	COB	MTB1602B-V1	122.0x44.0	99.0x24.0	STN Blue	White	
	COB	MTB1602C	84.0x44.0	64.0x13.8	STN(Y/G)	Y/G(B)	
	COB	MTB1602D	85.0x30.0	65.0x16.0	STN(Y/G)	Y/G(B)	
	COB	MTB1602D3	84.0X44.0	64.5X15.5	STN Blue	White	Negative,TR
	COB	MTB1602D4	84.0X44.0	64.5X15.5	STN(Y/G)	Y/G	
	COB	MTB1602D5	84.0X44.0	64.5X15.5	STN(Y/G)	Y/G	
	COB	MTB1602D1V20	84.0X44.0	64.5X13.8	STN(Y/G)	Y/G(B)	
COB	MTB1602DV10	85.0X30.0	66.0X16.0	STN Blue	White(B)		
COB	MTB1602E	53.0x20.0	36.0x10.0	STN(Y/G)	Y/G(B)		
COB	MTB1602G	122.0x44.0	99.0x24.0	STN(Y/G)	Y/G(B)		

邁高達科技有限公司  
Microtech Technology Co.,Ltd.  
香港新界粉嶺安厝街18號安興工業中心5/F樓 505 室  
Unit 505,5/F,On Hing Industrial Center,  
18 On Kui Street, Fanling,N.T.,HongKong  
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449  
電郵 E-mail: info@microtech-lcd.com  
Website: www.microtech-lcd.com

**LCD Modules  
Selection Guide**

深圳市邁高達科技有限公司  
ShenZhen Microtech Technology Co., Ltd.  
深圳市龍華新區民治街道民治大道973號萬眾  
潤丰創業園A棟二樓A區2-4號  
A03, 2F, Building A, Wanzhong Runfeng Pioneer  
Park, Minzhi, Longhua, Shenzhen, Guangdong,  
China  
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)  
Fax:(86-755) 8372 3887

Alphanumeric LCD module Product List							
Xline	LCM Type	Part No.	Module Dim.	View Area	LCD Type	Backlight	Remark
16x02	COB	MTB1602I	84.0x44.0	65.0x16.0	STN(Y/G)	Y/G(B)	
	COB	MTB1602H	71.6x25.6	64.6x16.0	STN(Y/G)	Y/G(B)	
	COB	MTB1602J	78.5x44.0	64.5x15.5	STN(Y/G)	Y/G(B)	
	COB	MTB1602A-V1.2	80.0x36.0	64.5x14.6	STN Blue	White(B)	
	COB	MTB1602AV30L	80.0x36.0	56.2x11.5	FSTN	W(B)	
	COB	MTB1602AV33	80.0x36.0	56.2x11.5	FSTN	Negative	
	COB	MTB1602D1-V1	85.0x36.0	56.2x11.5	FSTN	White	
	COB	MTB1602D1V10	85.0x36.0	56.2x11.5	STN	Y/G(B)	
16x04	COB	MTB1604A	87.0x60.0	61.7x25.2	STN(Y/G)	Y/G(B)	
	COB	MTB1604B	87.0x60.0	61.7x25.2	STN(Y/G)	Y/G(B)	
	COB	MTB1604Bv10	74.5x55.0	61.8x25.2	STN Blue	White(B)	
	COB	MTB1604001	87.0x60.0	62.0x25.6	STN(Y/G)	Y/G(B)	
	COB	MTB1604002	87.0x60.0	62.0x25.6	STN(Y/G)	White	
20x02	COB	MTB2002A	116.0x37.0	83.0x18.3	STN(Y/G)	Y/G(B)	
	COB	MTB2002A1	116.0x37.0	83.0x18.3	STN Blue	White(B)	
	COB	MTB2002B	180.0x40.0	149.0x23.0	STN(Y/G)	Y/G(B)	
20x04	COB	MTB2004A	98.0x60.0	76.0x26.0	STN(Y/G)	Y/G(B)	
	COB	MTB2004B	77.0x47.0	60.0x22.0	STN(Y/G)	Y/G(B)	
	COB	MTB2004C	146.4x62.4	118.85x38.1	STN(Y/G)	Y/G(B)	
	COB	MTB2004C-V1	146.4x62.5	118.90x38.1	STN(Blue)(N)	White(S)	
	COB	MTB2004D-V2	98.0*60.0	76.0*25.2	STN(Blue)(N)	White(S)	With cyrillic
	COB	MTB2004001	98.0x60.0	76.0x25.2	STN(Y/G)	Y/G(B)	
	COB	MTB2004002	98.0x60.0	76.0x25.2	STN(Blue)(N)	White(S)	
	COB	MTB2004003	98.0x60.0	76.0x25.2	STN(Blue)(N)	White(S)	
40x02	COB	MTB4002A	182.0x33.5	154.0x15.8	STN(Y/G)	Y/G(B)	
	COB	MTB4002001	190.0x54.0	149.0x31.0	STN(Y/G)	Y/G(B)	
40x04	COB	MTB4004A	190.0x54.0	147.0x29.5	STN(Y/G)	Y/G(B)	
24X02	COB	MTB2402001	118.0x36.0	93.5x16.0	STN(Y/G)	Y/G(B)	
	COB	MTB2402002	118.0x36.0	94.5x17.8	STN(Y/G)	White(S)	
128x64	COB	MTB12864C	93.0x70.0	70.7x38.8	STN(Y/G); Blue	Y/G(B)	
	COB	MTB12864C1	93.0x70.0	72.0x39.0	STN(Y/G)	White(S)	
	COB	MTB12864C2A	93.0x70.0	72.0*39.0	STN(Blue);	Negative	
	COB	MTB128x64C5V	93.0x70.0	72.0x39.0	STN(Y/G);	Y/G(B)	
	COB	MTB128x64CV15	93.0x70.0	71.6x38.9	STN(Blue);	Negative	
	COB	MTB128x64CV13	93.0x70.0	66.5x33.2	STN(Blue);	Negative	
	COB	MTB128x64CV20	93.0x70.0	66.5x33.2	STN(Y/G);	Y/G(B)	
	COB	MTB12864-3ZK	93.0x70.0	66.52x33.24	STN(Y/G);	Y/G(B)	ST7920
	COB	MTB12864-3ZK-V1	93.0x70.0	66.52x33.24	STN(Y/G);	Y/G(B)	AIP31020
	COB	MTB12864-2	78.0*70.0	56.27x38.35	STN(Y/G);	Y/G(B)	
	COB	MTB12864D	75.0x52.7	60.0x32.5	STN(Y/G)	Y/G(B)	
	COB	MTB12864D3	75.0x52.8	60x32.6	STN(Blue);	White(B)	ST7920
	COB	MTB12864E	54.0x50.0	40.92x24.92	STN(Blue);	White(B)	
COB	MTB12864E1	54.0x50.0	40.92x24.93	STN(Y/G);	Green		
COB	MTB12864ZW-10	93.0x89.0	72.0x39.0	STN(Y/G); Blue;FSTN	Y/G(B)		

邁高達科技有限公司  
Microtech Technology Co.,Ltd.  
香港新界粉嶺安厝街18號安興工業中心5/F樓 505 室  
Unit 505,5/F,On Hing Industrial Center,  
18 On Kui Street, Fanling,N.T.,HongKong  
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449  
電郵 E-mail: info@microtech-lcd.com  
Website: www.microtech-lcd.com

## LCD Modules Selection Guide

深圳市邁高達科技有限公司  
ShenZhen Microtech Technology Co., Ltd.  
深圳市龍華新區民治街道民治大道973號萬眾  
潤豐創業園A棟二樓A區2-4號  
A03, 2F, Building A, Wanzhong Runfeng Pioneer  
Park, Minzhi, Longhua, Shenzhen, Guangdong,  
China  
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)  
Fax:(86-755) 8372 3887

### Alphanumeric LCD module Product List

Xline	LCM Type	Part No.	Module Dim.	View Area	LCD Type	Backlight	Remark
240X64	COB	MTB24064B	180.0x65.0	132.0x39.0	STN(Y/G)	Y/G(B)	
	COB	MTB24064BV12	180.0x65.0	132.6x39.0	STN(Y/G)	Y/G(B)	
	COB	MTB24064B3	180*65.0	133.0*35.0	STN(Blue)(N)	White(S)	
	COB	MTB24064B4	180*65.0	132*39.0	FSTN/STN	White(B)	
240X128	COB	MTB240128A	144.0*104.0	114.0*64.0	STN(Blue)(N)	White(B)	
	COB	MTB240128A3	144.0*104.0	114.3*64.0	FSTN, Black(N)	White	
320X240	COB	MTB320240A	100.2X71.8	79.8X60.6	FSTN	White(S)	
	COB	MTB320240AV30	142.0x96.0	104.0x79.3	FSTN	White(S)	
	COB	MTB320240DV21	148.0x120.0	120.0x92.0	STN(Blue)(Y/G)	Y/G(B)	
320X240	COB	MTB320240D	148.0x120.0	120.0x92.0	STN(Blue)(Y/G)	Y/G(B)	
	COB	MTB320240D1	139.95X120.0	120.0X92.0	STN(Blue)	White(B)	
	COB	MTB320240D2	148.02X120.24	120.14X92.14	FSTN, White	White	
	COB	MTB320240C	167.0x109.0	122.0x92.0	STN(Blue)(Y/G)	Y/G(B)	